


Using DT-HD1 with V-Drums  
by Simon Ayton V-Drums &  
Percussion Specialist  
Roland Australia




&




## Connecting to all V-Drums

- If the module only has a MIDI out (eg:HD-1, TD4), connect it to the supplied 'Connect to MIDI out' connector of the UM-1G interface. In this case, DT-HD1 will playback using the 'Virtual Sound Canvas' sounds created when you installed DT-HD1. Choose this from the 'setup' menu in DT-HD1.



- If your Kit has a MIDI in and out (eg:TD9, TD12, TD20), connect both leads of the UM-1G. This way, DT-1HD1 can use this 'external' module to playback the MIDI data. Choose this from the 'setup' menu in DT-HD1.



## DT-HD1 with TD9

- When using DT-HD1 with the TD9 module, you need to change the hi-hat compatibility setting so that the correct notes are received by DT-HD1!

## Settings

1. Press 'SETUP' button on the TD9 module
2. Press 'F2' button 'CTRL'
3. Use the cursor controls to select 'HH Compatibility'
4. Use + & – buttons or the value wheel to change it to 'EXTERNAL'
5. Press 'EXIT' button . You are done!

```
MIDI CONTROL
Pedal CC      FOOT<4>
HH Compatibility
              TD9/TD20
GLOBAL \ CTRL / PERC
```

```
MIDI CONTROL
Pedal CC      FOOT<4>
HH Compatibility
              EXTERNAL
HH Note# Border 90
GLOBAL \ CTRL / PERC
```